

# • OPM-1560/1850

15.6" / 18.5" Widescreen  
Open Frame Monitor



- 15.6"/18.5" widescreen (16:9) open frame LCD display
- 1x HDMI, 1x DVI-D, 1x VGA for video input
- Optional 1x USB2.0 for touch functionality

## Product Overview


The OPM-1560/1850 is a collection of widescreen open frame monitors, facilitating multiple windows or convenient panoramic viewing experience. It comes with a variety of display ports, including 1x

HDMI, 1x DVI-D and 1x VGA, for various viewing options, and optional 1x USB port for touch functionality.


## Technical Information

Video	Display Size Aspect Ratio Backlight Resolution Brightness (cd/m <sup>2</sup> , typ.) Contrast Ratio (typ.) Color View Angle (L/R/H/L, °)	15.6 inch 16:9 LED 1366 x 768 300 500:1 262K / 16.7M 80/80/80/80	18.5 inch 16:9 LED 1366 x 768 300 1000:1 16.7M 85/85/80/80
	Touch	5-wire resistive (optional) / 10-point PCT (optional)	
	Display Interface	1x HDMI (on rear) 1x DVI-D (on rear) 1x VGA (on rear)	
Audio	Audio Interface	1x Line-in (on rear) 1x Line-out (on rear)	
Peripheral Connection	USB	1x USB2.0 (Type A on rear for Touch, optional)	
Power	Connector	2-Pin Phoenix Connector (on rear)	
	Input Voltage	DC 12V (default) DC 24V (optional)	
System Control & Monitoring	Button, Switch & Indicator	1x Power LED (on left) 1x Power Button (on left) 1x Menu / Enter Button (on left) 1x Up Button (on left) 1x Down Button (on left) 1x Exit Button (on left)	
Cooling	Cooling Method	Passive	
Mechanical	Construction	Open Frame Metal Chassis	
	Dimensions - W (mm) Dimensions - H (mm) Dimensions - D (mm)	425.1 (16.74") 272.6 (10.73") 40.0 (1.57")	491.6 (19.35") 312.5 (12.30") 40.0 (1.57")
	Weight (g)	TBD	3700 (8.16 lb)
	Mounting	Open Frame Mount VESA Mount (100 x 100) Panel Mount	
Environmental	Operation Temperature	0°C ~ 50°C / 32°F ~ 122°F	
	Storage Temperature	-20°C ~ 70°C / -4°F ~ 158°F	
	Humidity	0% ~ 95%	
Certification	EMC & Safety	CE, FCC Class A	

## I/O Ports



Rear Side




Left Side


## Mechanical Dimensions

(unit: mm)

### 15.6" Model



### 18.5" Model



## Ordering Information

ARTICLE	DESCRIPTION
OPM-1560	15.6" 16:9 LCD screen, 1x USB2.0 for touch (optional)
OPM-1850	18.5" 16:9 LCD screen, 1x USB2.0 for touch (optional)

### OPTIONAL ACCESSORIES

VESA Mounting Kit	Hole pattern: 100 x 100 mm & 75 x 75 mm, dimension: 163 x 130 mm
Power Adapter	AC to DC, 100V ~ 240V
Power Cord	2-pin male Phoenix connector
5-wire Resistive Touch Panel Kit	
10-point P-CAP Touch Panel Kit	